

Kenton C. Ward, CFM
Surveyor of Hamilton County
Phone (317) 776-8495
Fax (317) 776-9628

Suite 188
One Hamilton County Square
Noblesville, Indiana 46060-2230

April 16, 2019

To: Hamilton County Drainage Board

Re: Elwood Wilson Drain, Fisher – County Farm Arm, Field Drive and Cumberland Road Roundabout Reconstruction & Partial Vacation.

The Fisher – County Farm Drain was established by the Hamilton County Commissioners Court per January 23, 1964 report by Roy D. Horney, Hamilton County Surveyor, and approved on February 3, 1964 for the purpose of widening the County Farm Road (north & south). The Fisher - County Farm Drain was later combined with the Elwood Wilson Drain.

Attached are petition from the City of Noblesville along with plans for the proposed reconstruction of a portion of the Elwood Wilson Drain, Fisher – County Farm Arm. The proposal is to reconstruct a portion of the existing drain currently in the Field Drive and Cumberland Road right-of-way per the Field Drive and Cumberland Road Roundabout plans by USI, Project No. 1401714, file stamped 4/4/2019, Sheets 17 and 22.

The Elwood Wilson Regulated Drain, Fisher – County Farm Arm is located on the west side of Cumberland Road. The regulated drain begins at the northwest corner of the existing intersection, crosses under Field Drive, and continues south. Per the construction plans, a new manhole (Str#23) will be added to the existing 12” drain south of the proposed roundabout and approximately 220’ of the existing 12” drain will be removed. (Note: Drainage from the roundabout will be piped via proposed City of Noblesville storm sewers to two detention areas before draining to an existing storm sewer on the east side of Cumberland Road).

This request will consist of the following:

Add Str #23

Remove 220’ of 12” Concrete Tile


The existing drain will be vacated between original station 0+00 and 2+20. This proposal will remove 220' from the drain's total length.

The cost of the project is to be paid by the City of Noblesville. Therefore, the requirement for posting surety has been waived.

The manhole is proposed to be located within the existing Elwood Wilson Drain easement. No easement acquisition is necessary for this reconstruction. Where the existing drain will be vacated, the corresponding easement will likewise be vacated.

I recommend the Board set this item for hearing on May 28, 2019.

Sincerely,



Kenton C. Ward
Hamilton County Surveyor

KCW/pll

**Elwood Wilson, Fisher-County Farm Arm Reconstruction & Partial Vacation
Field Drive & Cumberland Road Round-a-bout Reconstruction**

Add new manhole (Str. #23) in existing easement & vacate Sta. 0+00 to Sta. 2+20
This proposal will vacate 220' of drain.


*To be paid for by the City of Noblesville.

*No change in current maintenance assessment.

Hearing: 05/28/19

Parcel	Owner	Description	Benefit *	RecAsmt *	MntAsmt *	Total *	% of
99-99-99-99-999.008	City of Noblesville	Dept. of Administration S31 T19 R5, Cumberland Road & Field Dr RAB					


Field Drive & Cumberland Road Roundabout



April 9, 2019

1:1,200

- | | |
|----------------------------|---------------------------------|
| Parcels | MUNICIPAL DRAIN |
| Drainage Structures | OPEN DRAIN |
| All Other Structures | SSD |
| MUNICIPAL MANHOLE | Regulated Drains Waterways |
| Drain Name | Regulated Drains Drainage Pool |
| Regulated Drains | Subdivision Drainage Structures |
| CLOSED DRAIN | |



Author: Hamilton County