


A SURVEY OF THE EAST LINE OF THE FOLLOWING DESCRIBED TRACT OF LAND: BEGINNING AT A POINT 33 AND 9/11 RODS WEST OF THE EAST LINE OF THE NORTHWEST QUARTER OF SECTION 1, TOWNSHIP 20 NORTH, RANGE 4 EAST, ON A LINE DRAWN FROM THE SOUTHEAST CORNER OF LOT 1 IN BLOCK 7 IN THE TOWN OF BUENA VISTA, NOW ATLANTA, EAST TO A STONE LOCATED ON THE EAST LINE OF SAID QUARTER SECTION, THENCE NORTH 8 RODS 19 1/2 LINKS, THENCE WEST 8 1/2 FEET TO THE NORTHEAST CORNER OF THE LOT ON WHICH THE CHRISTIAN CHURCH IS LOCATED, THENCE SOUTH 8 RODS 19 1/2 LINKS, THENCE EAST ABOUT 73 FEET TO THE PLACE OF BEGINNING, CONTAINING 1/4 ACRE, MORE OR LESS, IN HAMILTON COUNTY, SUBJECT TO A PUBLIC HIGHWAY ON THE NORTH END THEREOF. - D.R. 176, PG. 259 -



SCALE: 1" = 40'
FIELD BOOK 79
PAGES 1 THRU 6
#00448

* NOTE: DEED RECORD 197, PAGE 175, RECORDED AUGUST 21, 1899 AND DEED RECORD 244, PAGE 212, RECORDED MAY 20, 1971, CALLS THIS DISTANCE 25 1/4 RODS WHICH EQUALS 418.63 FEET. THIS WOULD CREATE AN OVERLAP OF 5.63 FEET OF THE EAST PROPERTY LINE OF THE ATLANTA CHRISTIAN CHURCH AND THE WEST PROPERTY LINE OF SCHILDMEIERS. DEED RECORD 55, PAGE 376 WHICH WAS RECORDED JULY 25, 1891 SHOWS THIS DISTANCE TO BE 25 1/4 RODS OR 414.00 FEET. SINCE ALL OF THE DESCRIPTIONS FIT TOGETHER WITHOUT OVERLAPS OR GAPS USING THE OLDER DEED IT IS MY POSITION THAT A SCRIVENER'S ERROR CREATED THE 25 1/4 ROD DISTANCE.

PLAT OF LEGAL SURVEY
OF PROPERTY LINE BETWEEN THE ATLANTA CHRISTIAN CHURCH AND LEWIS & BETTY SCHILDMEIERS FOR THE ATLANTA CHRISTIAN CHURCH

L.D. MILLER LAND SURVEYING & MAPPING
TWENTY-THREE NORTH EIGHTH STREET
NOBLESVILLE, INDIANA 4606
PHONE 773-2644

L.D. Miller Jr.
REGISTERED LAND SURVEYOR #50083
JUNE 11, 1976



AGREEMENT

1281

BOOK 156 PAGE 1

WHEREAS, John I. Lake and Gloria D. Lake, husband and wife, of Hamilton County, Indiana, own the following described real property located in Noblesville, Hamilton County, Indiana, to-wit:

Twenty-two and One Half (22 1/2) feet off the West side of Lot Seven (7), Square Two (2) in River Park Addition to the City of Noblesville, as per plat thereof recorded in Deed Record 50, pages 1-4 in the Office of the Recorder, Hamilton County, Indiana.

and;

WHEREAS, the owners of the above-described real property had the same recently surveyed by Lee Miller, a licensed land surveyor, who made a stake survey based upon the above-described legal description; and

WHEREAS, Richard C. Stewart and Marilyn M. Stewart of Noblesville, Hamilton County, Indiana, own the real property which abuts to and which is adjacent to the eastern boundary line of the real property owned by John I. Lake and Gloria D. Lake and which is described above; and This Instrument Recorded Jan. 31 1979 MARY L. CLARK, RECORDER, HAMILTON COUNTY, IND.

WHEREAS, Richard C. Stewart and Marilyn M. Stewart were notified of the aforesaid survey;

NOW THEREFORE, in consideration of the mutual covenants and promises of the parties named herein, Richard C. Stewart and Marilyn M. Stewart, husband and wife, hereby give their consent pursuant to I. C. 17-3-63-3 as adjoining land owners to the survey made by said Lee Miller on the above-described real estate owned by John I. Lake and Gloria D. Lake, and said Richard C. Stewart and Marilyn M. Stewart hereby approve and are in full agreement with staked boundaries as determined and as set by the said surveyor for the above-described real estate. Said Richard C. Stewart and Marilyn M. Stewart hereby accept and are in full agreement with the location of the eastern boundary of the above-described real property owned by John I. Lake and Gloria D. Lake and as staked by said surveyor, Lee Miller, and that said survey shall be considered as establishing the western boundary line of the real property owned by Richard C. Stewart

BOOK 156 PAGE 2

and Marilyn M. Stewart and which abuts the eastern boundary line of the land described above.

This agreement shall be binding upon the parties herein, their heirs and assigns. This agreement made and entered into this 4th day of January, 1979.

John I. Lake
Gloria D. Lake

Richard C. Stewart
Marilyn M. Stewart

State of Indiana, County of Hamilton, ss:

Before me, a Notary Public in and for said County and State, personally appeared the within named John I. Lake and Gloria D. Lake, who acknowledged the execution of the foregoing agreement to be their voluntary act and deed. Witness my hand and Notarial Seal this 4th day of January, 1979.

John F. Culp
Notary Public
My Commission Expires: 2-13-81
County of Residence: Hamilton

State of Indiana, County of Hamilton, ss:

Before me, a Notary Public in and for said County and State, personally appeared the within named Richard C. Stewart and Marilyn M. Stewart, who acknowledged the execution of the foregoing agreement to be their voluntary act and deed. Witness my hand and Notarial Seal this 4th day of January, 1979.


RECEIVED FOR RECORD AT 10:00 CLOCK P.M.

JAN 31 1979

Mary L. Clark
RECORDER HAMILTON COUNTY, INDIANA

This instrument prepared by John F. Culp, Attorney At Law, 83 South 9th Street, Noblesville, Indiana 46060.

Kenyon C. Ward



BOOK 156 PAGE 3

SCALE 1" = 30'
FB 121, PG 1-2
JOB # 03810
IRON ROD SET
PK. NAIL SET

A survey of 22 1/2 feet of the entire West side of Lot Number Seven (7), Square Two (2) in River Park Addition to Noblesville as per plat thereof recorded in Deed Record 50, Pages 1-4 in the records of Hamilton County, Indiana.

The above plat represents a survey made under my supervision and corners were established as shown.

By Lee D. Miller
Registered Land Surveyor S0083
January 3, 1979
FOR: John J. & Gloria D. Lake

This Instrument Recorded Jan. 31 1979
MARY L. CLARK, RECORDER, HAMILTON COUNTY, IND.

L. D. Miller
Land Surveying & Mapping
23 North 8th Street
Noblesville, Indiana 46060
Phone (317) 773-2644

0375 FILED
JAN 31 1979

OFFICE OF HAMILTON COUNTY SURVEYOR
By Kenyon C. Ward

The purpose of this survey is to locate, re-establish and perpetuate the Southwest Quarter of Section 18, Township 19 North, Range 5 East, in Noblesville Township, Hamilton County, Indiana, and to mark the location of the line between the real estate owned by Orville G. and Patricia C. Brickey in said Southwest Quarter and that of adjoining landowners, and to correct inconsistencies affecting Orville G. and Patricia C. Brickey real estate in said Quarter Section.

The survey was requested by Mr. Orville G. Brickey on February 19, 1979, being a land owner in the above described Southwest Quarter. Notice of survey was made by certified mail on March 15, 1979, to all owners of record of land adjoining said Brickey real estate.

Work on survey was begun on April 27, 1979, and worked on from time to time by James E. Campbell, Indiana Registered Surveyor No. S0268, Allan C. Ihrer, Larry K. Shimer, under the supervision of Allan H. Weihe, Indiana Registered Surveyor No. 10398, and completed August 29, 1979.

The following method was used in the re-establishment of the Southwest Quarter of Section 18, Township 19 North, Range 5 East:

1.) At the Southwest corner of Section 18, a brass pin was found and accepted as best evidence of said corner.

2.) At the South half mile corner of Section 18, Township 19 North, Range 5 East, a railroad spike was found over a 1" diameter iron pipe which was in agreement with references in the County Surveyor's Office for a stone corner, and was accepted as best evidence of said corner.

3.) At the center of Section 18, Township 19 North, Range 5 East, a stone with a cross was found and accepted as said corner.

4.) The West half mile corner of Section 18, Township 19 North, Range 5 East was set 70 links North of a brass pin found and accepted as the best evidence of the East half mile corner of Section 13, Township 19 North, Range 4 East, and on line between said brass pin and a brass pin found and accepted as the best evidence of the Northeast corner of said Section 13. The original field notes for the Federal Government Survey of Township 19 North, Range 5 East, dated September 25, 1821, sets the Southwest corner of said Section 18, at 54 links North of the Southeast corner of Section 13, Township 19 North, Range 4 East. The Northwest corner of said Section 18, according to said Government Survey is located 86 links North of the Northeast corner of said Section 13, therefore we have set the West half mile corner of Section 18, at the average jog distance of 70 links, as the best means for the re-establishment of said corner.

5.) The West line of the East Half of the Southwest Quarter of Section 18, was set as a straight line between points on the North and South lines of said Southwest Quarter, which were set by proportional measurement, based on Government survey records and actual measurement between accepted or re-established corners.

6.) The North line of the South Half of the Southwest Quarter of said Section 18, was set as a straight line terminating at the mid-points of the East and West lines of said Southwest Quarter between the accepted or re-established corners of said Southwest Quarter.

7.) In researching the conveyance of parcels of real estate located in the Southwest Quarter of Section 18, being adjacent to land owned by Mr. Brickey, it was found that the land described in Deed Record 238, page 220, and subsequent deeds for said real estate was described in an ambiguous manner in that the caption description describes it as the South Half of the Northwest Quarter of the Southwest Quarter of Section 18, Township 19 North, Range 5 East, however, the body of the description further describes it with bearings and distances, with controlling calls along the respective Quarter Quarter lines, even though stated distances would cross the East line of the Northwest Quarter of said Southwest Quarter, however, for the purposes of this survey we have used the caption description.

8.) The real estate conveyed to Mr. Brickey was conveyed as two parcels, recorded in Deed Record 257, page 221, and Deed Record 250, page 261, respectively. It was found that the descriptions used in these deeds were not compatible in that bearings and distances stated were not consistent and caused a gap and overlap situation. Also, the description used in Deed Record 257, page 221, is ambiguous in that the caption portion of description places this parcel within the Southwest Quarter of the Southwest Quarter of Section 18 and the body of said description by virtue of the recited courses and distances without controlling calls to Quarter Quarter lines, cross out of said Southwest Quarter of said Southwest Quarter and thereby causing an overlap with the North adjoiner as described in Deed Record 238, page 220. Also, the absence of controlling calls along Quarter Quarter lines, the courses and distances in the body portion of the description of the Deed Recorded in Deed Record 250, page 261, causes an overlap with the aforesaid North adjoiner and fails to convey the entire Northeast Quarter of said Southwest Quarter. Historically, the land from which the Brickey real estate was conveyed has always been described as the East Half of the Southwest Quarter and the Southwest Quarter of the Southwest Quarter of Section 18, Township 19 North, Range 5 East, therefore for the purpose of this survey we have ignored all of the gaps and overlaps and have placed the Brickey real estate entirely within the historic description.

9.) The following perimeter describes the results of said survey of Brickey real estate.

Part of the Southwest Quarter of Section 18, Township 19 North, Range 5 East in Noblesville Township, Hamilton County, Indiana, described as follows:

Beginning on the West line of the Southwest Quarter of Section 18, Township 19 North, Range 5 East, 387.00 feet North 00 degrees 00 minutes 00 seconds (assumed bearing) from the Southwest corner of said Southwest Quarter; thence North 00 degrees 00 minutes 00 seconds on the West line of said Southwest Quarter 949.94 feet to the Northwest corner of the South Half of said Southwest Quarter, said corner being equidistant between the Southwest corner of said Section 18, and the Northwest corner of said Southwest Quarter as established 70 links (46.20 feet) North of the Northeast corner of the Southeast Quarter of Section 13, Township 19 North, Range 4 East; thence North 89 degrees 58 minutes 12 seconds East on the North line of said South Half 1305.21 feet to the West line of the East Half of said Southwest Quarter; thence North 00 degrees 37 minutes 54 seconds West on said West line 1334.11 feet to the North line of said Southwest Quarter; thence South 89 degrees 54 minutes 06 seconds East on said North line 1337.35 feet to the Northeast corner of said Southwest Quarter, marked by a stone; thence South 00 degrees 18 minutes 53 seconds East on the East line of said Southwest Quarter 2662.10 feet to the Southeast corner of said Southwest Quarter; thence South 89 degrees 50 minutes 31 seconds West on the South line of said Southwest Quarter 23.15 feet to a point 2619.33 feet North 89 degrees 50 minutes 31 seconds East from the Southwest corner of said Southwest Quarter; thence North 00 degrees 00 minutes 00 seconds parallel with the West line of said Southwest Quarter 187.00 feet; thence South 89 degrees 50 minutes 31 seconds West parallel with said South line 2225.33 feet; thence North 00 degrees 00 minutes 00 seconds parallel with said West line 200.00 feet; thence South 89 degrees 50 minutes 31 seconds West parallel with said South line 394.00 feet to the place of beginning, containing 108.555 acres, more or less.

Subject to the statutory easement for the Right-of-Way of the legal drain crossing the above real estate, known as the A.F. Ingerman Ditch. (Arm #2).

Subject to the Right-of-Way of State Road #19 along the West side of said real estate, per Grant to Hamilton County, Indiana, recorded in Deed Record 136, page 504, and plans for said highway, being I.S.H.C. "S" project No. 422(5) dated 1951.

Subject to the Right-of-Way for 206th Street across that part thereof which adjoins the South line of said Southwest Quarter.

Subject further to all other legal easements and rights-of-way.

I, the undersigned, hereby certify that the attached plat represents the results of said survey and corners were found or established and marked as indicated thereon.



Witness my signature this 31st day of August, 1979


Allan H. Weihe, Reg. L.S.-Indiana #10398



SHEET 2 OF 2


PREPARED FOR: MR. ORVILLE G. BRICKEY NOBLESVILLE, INDIANA, 46060	JOB NO. 79-117 DRAWN BY LES CHECKED BY AWW DATE 8-21-79	 WEIHE ENGINEERS INC. 10505 N. COLLEGE AVENUE INDIANAPOLIS, INDIANA 46280 CIVIL ENGINEERS LAND SURVEYORS LAND PLANNERS	ALLAN H. WEIHE, P.E., L.S. PRESIDENT
---	--	---	---



FILED
 NOV 29 1979
 OFFICE OF HAMILTON COUNTY SURVEYOR
James Allen Oldham

FILED
 NOV 29 1979
 HAMILTON COUNTY DRAINAGE BOARD
James Allen Oldham
 SECRETARY

SHEET NO. 2	PREPARED FOR: MR. ORVILLE G. BRICKEY NOBLESVILLE, INDIANA	JOB NO. 79-117 DRAWN BY L.E.S. CHECKED BY LAW DATE 8-24-79	 WEIHE ENGINEERS INC. 10505 NORTH COLLEGE AVENUE INDIANAPOLIS, INDIANA 46280 CIVIL ENGINEERS LAND SURVEYORS LAND PLANNERS	ALLAN H. WEIHE, P.E., L.S. PRESIDENT
	LEGAL SURVEY - S.W. 1/4 SEC. 18-T.19N-R.5E			



SCALE 1"=30'
 FB 156 PG 58
 DATE: OCTOBER 15, 1980

LEGAL SURVEY


◦ DENOTES IRON ROD SET

THIS DOCUMENT PREPARED BY:
L.D. MILLER LAND SURVEYING & MAPPING
 23 NORTH 8TH STREET
 NOBLESVILLE, INDIANA 46060
 PHONE (317) 773-2644

LAND DESCRIPTION

LOT NUMBER SIX (6) IN SQUARE ONE (1) IN CASWELL BOXLEY'S ORIGINAL PLAT TO THE TOWN OF SHERIDAN, INDIANA AS RECORDED IN PLAT BOOK 1, PAGE 42 IN THE RECORDS OF HAMILTON COUNTY, INDIANA.


Leland D. Miller, Jr.
 REGISTERED LAND SURVEYOR #50083
 DATE: OCTOBER 15, 1980



FILED

OCT 29 1980

Kenton C. Ward




SCALE: 1" = 300'
 PLAT OF LEGAL SURVEY
 ESTABLISHING
 THE "OLD CHANNEL OF WHITE RIVER - CASTOR ISLAND"

- ① This line is called for as being parallel with the East line of the Northeast Quarter of Section 8, Township 19 North, Range 5 East in Deed Record 218, Page 48 and in Deed Record 291, Page 394.
- ② This angle is derived from the bearings given in Deed Record 291, Page 394.
- ③ Iron pipe found; Deed Record 218, Page 48 calls for an iron pipe on the East line of said Northeast Quarter.
- ④ This angle, between the South line of said Northeast Quarter and the iron pipe found (Note 3), was observed at the Southeast corner of said Northeast Quarter.
- ⑤ Because of all the above and the similarity of the two angles (Notes 2 and 4), the iron pipe found (Note 3) was accepted as the best available evidence as to the direction of the East line of said Northeast Quarter.
- ⑥ This point, the corner of four sections, was established as equidistant from the Northeast corner of the Southeast Quarter of Section 5, Township 19 North, Range 5 East and the Southeast corner of said Northeast Quarter and on the East line of said Northeast Quarter as determined above (Note 5).
- ⑩ Point "D100" was set on the East line of the Northeast Quarter of Section 8, Township 19 North, Range 5 East 1,738.90 feet (1,528.9 feet plus 210 feet = 1,738.90 feet; Ref.: Deed Record 218, Page 48) North of the Southeast corner of said Northeast Quarter. Point "D100" is a boundary survey point.
- ⑧ See Page 3 Of 3
- ⑨ Point "D95" was set on the East line of the Southeast Quarter of Section 5, Township 19 North, Range 5 East 2,244.60 feet (Ref.: Deed Record 155, Page 198) South of the Northeast corner of said Southeast Quarter. Point "D95" is a boundary survey point.

This plat of a Legal Survey represents a survey made under my direct supervision with corners established as shown and is true and correct to the best of my knowledge.

Leland D. Miller, Jr.
 Registered Land Surveyor
 April 5, 1983
 For: A. W. Teter Family Retreat Foundation, Inc.




MILLER Surveying
 17 North 8th Street
 Noblesville, Indiana 46060
 Phone: (317) 773-2644


OFFICE OF HAMILTON COUNTY SURVEYOR
 MAY 4 1983
FILED



SCALE: 1" = 200'
PLAT OF LEGAL SURVEY
ESTABLISHING
THE "OLD CHANNEL OF WHITE RIVER - CASTOR ISLAND"



PLAT OF LEGAL SURVEY
ESTABLISHING
THE "OLD CHANNEL OF WHITE RIVER - CASTOR ISLAND"



DISTANCE FROM INST.
#2374; DR 291, Pg. 394

DETAIL; SCALE: 1"=20'

SEE NOTE A; BELOW

SOUTH LINE SE 1/4, SEC. 5-T19N-R5E; N89°02'00\"/>

A The shaded Area is included in the land described in Deed Record 288, Page 122 (the South Half of the Southeast Quarter of Section 5, Township 19 North, Range 5 East) and in the land described in Deed Record 124, Page 257 (Castor Island) and is, at the time of this survey, an area of questionable ownership. As this area appears to be occupied by the A. W. Teter Family Foundation, Inc., it has been included in this boundary survey.

DETAIL; SCALE: 1"=20'

D 100 See Page 1 of 3

D 98 Point "D98" is North 01 degree 35 minutes 38 seconds East (parallel with the East line of the Northeast Quarter of Section 8, Township 19 North, Range 5 East) 1,546.90 feet (1,421.9 feet + 125 feet = 1,546.90 feet; Ref. Deed Record 218, Page 48 and Deed Record 291, Page 394) of a point on the South line of said Northeast Quarter that is 426.80 feet (Ref. Deed Record 218, Page 48 and Deed Record 291, Page 394) West of the Southeast corner of said Northeast Quarter. Point "D98" is a boundary survey point.

C 86 Through C 82 Area maps and visual observation indicate a curve in the "Old Channel of White River" in this area. Points "D98" through "C82" represent the curve as a series of chords. The chords are boundary survey line and points "C86" through "C82" are boundary survey points.

D 93 Through D 88 The locations of these points are based on visual observation. Points "93" through "88" are boundary survey points.

D 95 See Page 1 of 3

D 87 The location of this point is based on visual observation. Point "87" is a point on (boundary survey) line.

Table of Courses			
From	To	Direction	Distance
D 100	D 98	S 66° 14' 48" W	472.13'
D 98	C 86	S 80° 09' 51" W	49.51'
C 86	C 85	N 72° 00' 04" W	49.51'
C 85	C 84	N 44° 09' 58" W	49.51'
C 84	C 83	N 16° 19' 53" W	49.51'
C 83	C 82	N 01° 19' 14" E	13.41'
C 82	D 93	N 05° 03' 19" E	172.38'
D 93	D 92	N 08° 46' 54" W	142.22'
D 92	D 91	N 65° 31' 51" E	58.49'
D 91	D 90	N 03° 43' 24" E	281.43'
D 90	D 89	N 21° 07' 17" E	172.77'
D 89	D 88	N 45° 08' 29" E	258.36'
D 88	D 95	N 35° 40' 06" E	520.07'
D 95	D 87	N 31° 56' 36" E	398.60'
D 87	P	N 31° 56' 36" E	53'±

MEAN HIGH WATERMARK

***** LEGEND *****

- o Denotes Iron Pin Set (15)
- ▲ Denotes Iron Pin Set (1)
- Denotes Iron Pin Found (1)
- Denotes "Old Channel of White River"
- ⊛ Denotes Area of Questionable Ownership; See Note A

○ Denotes Point Number


○^D_{XX} Denotes Point Established by Deed

○^C_{XX} Denotes Point Established by Visual Observation; Series of Chords Representing Curve

○^{XX} Denotes Point Established by Visual Observation

This plat of a Legal Survey represents a survey made under my direct supervision with corners established as shown and is true and correct to the best of my knowledge.

Leland D. Miller, Jr.
Registered Land Surveyor
April 5, 1983
For: A. W. Teter Family Retreat Foundation, Inc.




MILLER Surveying
17 North 8th Street
Noblesville, Indiana 46060
Phone: (317) 773-2644

FILED
MAY 4 1983
OFFICE OF HAMILTON COUNTY SURVEYOR

SCALE: 1" = 300'

PLAT OF LEGAL SURVEY
ESTABLISHING
THE SOUTH LINE OF THE NORTH HALF OF SECTION 9-T19N-R3E
WEST OF THE MEAN HIGH WATER MARK OF WHITE RIVER - 1983



(A) The records of the Hamilton County Surveyor do not indicate a stone having been set at the center of Section 9, Township 19 North, Range 3 East. A search for any evidence of the center of said Section 9 was made but no evidence was found. The South line of the North Half of said Section 9 was established as the line between the Southwest corner and the Southeast corner of the North Half of said Section 9 (Ref.: CLARK on SURVEYING and BOUNDARIES, FOURTH EDITION (1976), Page 226, Section 190). An iron pin was set on the said South line of North Half of said Section 9 midway between its end points; this point is not necessarily the center of said Section 9.


FILED

MAY 4 1983

OFFICE OF HAMILTON COUNTY SURVEYOR
By: *[Signature]*

This plat of a Legal Survey represents a survey made under my direct supervision and is true and correct to the best of my knowledge.

Leland D. Miller, Jr.
Registered Land Surveyor
March 25, 1983
For: The A. W. Teter Family Retreat
Foundation, Inc.




MILLER Surveying
17 North 8th Street
Noblesville, Indiana 46060
Phone: (317) 773-2844

3675 North Post Road
 Indianapolis, Indiana 46226
 (317) 898-8282
 Mailing Address
 P. O. Box 26068



SCHNEIDER ENGINEERING CORPORATION
 Civil Engineers - Land Surveyors

John V. Schneider, P.E., L.S., President
 Brad DeReamer, L.S., Vice-President
 Paul O. Maves, P.E.
 Gary R. Kent, L.S.
 Dennis Grumpp, L.S.
 Stephen M. Cooper, L.S.
 Edward D. Giacoletti, L.S.



LEGAL SURVEY

I, Gary R. Kent, duly licensed Land Surveyor #S3089, in accordance with the laws of the State of Indiana, do hereby certify that the within plat represents a LEGAL SURVEY of the North Line of Lot 5 in Cedar Lake, an addition in Hamilton County, Indiana as recorded in Plat Book 12, Page 12 in the Office of the Recorder of said County. I further certify that said survey meets the normal standards of care of Land Surveyors practicing in Indiana and that said survey was performed under my supervision. Said survey was prepared at the request of Dr. Philip Dyer. Monuments were set as indicated on the above plat. Prior notice of said survey was sent to adjoining land owners on September 4, 1985 by certified mail.



Gary R. Kent
 Gary R. Kent
 November 25, 1985


FILED

FEB 14 1985


OFFICE OF HAMILTON COUNTY SURVEYOR
 By _____

LEGAL SURVEY


ESTABLISHMENT OF THE SOUTH LINE OF THE N-W/4 OF SEC. 16-19-5.



DETAIL #1
NO SCALE



DETAIL #2
NO SCALE




DETAIL #3
NO SCALE

FB.258,P.2

JOB # 10546



SCALE 1"=300'



SECTION 16-19-5



LEGEND

- φ • UTILITY POLE
- • FENCE POST
- ✕ • FENCE LINE
- ▣ • R/W MARKER
- • 5/8" IRON ROD SET

This plat of a Legal Survey represents a survey made under my supervision with corners established as shown and is true and correct to the best of my knowledge.

FILED
 AUG 19 1988
 HAMILTON COUNTY DRAINAGE BOARD
 SECRETARY

Leland D. Miller, Jr.
 Registered Land Surveyor #50083
 Date: August 16, 1988
 For: Public Service Co., Inc.



MILLER SURVEYING
 17 North 8th Street
 Noblesville, In., 46060
 Phone: (317) 773-2644